

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

# LS CHEMIE

Chemische & Technische Produkte

Language: en-GB,IE

Page:

1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Adhesive and sealant - Black

This safety data sheet pertains to the following products:

MSP Rim sealant / MSP Adhesive and sealant / MSP Car body adhesive and sealant

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive and sealant

### 1.3 Details of the supplier of the safety data sheet

LS CHEMIE GmbH  
Essener Str. 60  
D-42327 Wuppertal  
Tel. +49 (0) 202 - 804 33  
E-mail: [sicherheitsdatenblatt@ls-chemie.de](mailto:sicherheitsdatenblatt@ls-chemie.de)  
[www.ls-chemie.de](http://www.ls-chemie.de)

### 1.4 Emergency telephone number

Information center against poisoning Bonn:

Phone: +49 (0) 228 19240

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

### 2.2 Label elements

#### Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

#### Special labelling

EUH208 Contains N-(3-(Trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

### 2.3 Other hazards

With exposure to Water, product will release Methanol.  
Methanol: Toxic if swallowed, in contact with skin or if inhaled.  
Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

# LS CHEMIE

Chemische & Technische Produkte

Language: en-GB,IE

Page:

2 of 9

## SECTION 3: Composition / information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Mixture of the substance mentioned below with non-hazardous additions:

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 217-164-6 CAS 1760-24-3	N-(3-(Trimethoxysilyl)propyl)ethylenediamine	< 1 %	Eye Dam. 1; H318. Skin Sens. 1; H317.

Full text of H- and EUH-statements: see section 16.

Additional information: With exposure to Water, product will release Methanol.  
The maximum workplace exposure limits are, where necessary, listed in section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.

In case of inhalation: Provide fresh air. In the event of discomfort seek medical treatment.

Following skin contact: Remove mechanically (e.g. dab away using wadding or cellulose material) then thoroughly wash the affected skin with a mild cleansing agent and water. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Lengthy or repeated contact may cause skin irritation. May cause allergic reactions in already sensitized persons.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.  
Furthermore, there may develop: Nitrous fumes, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

**LS CHEMIE**

**Chemische & Technische Produkte**

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

Language: en-GB,IE

Page:

3 of 9

Additional information: Hazchem-Code: -  
Use fine water spray to cool endangered containers.  
You have to dispose of contaminated extinguishing water according to the regulations of the authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Additional information: Special danger of slipping by leaking/spilling product.

### 6.4 Reference to other sections

Refer additionally to section 8 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapours/spray. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Precautions against fire and explosion: Take care of general rules for industrial preventive fire protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers: Keep container dry, tightly closed and store at cool and aired place. Protect from frost, heat and sunlight.

Hints on joint storage: Do not store together with acids and strong oxidation agents.  
Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

No information available.

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

**LS CHEMIE**

Chemische & Technische Produkte

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

Language: en-GB,IE

Page:

4 of 9

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
67-56-1	Methanol	Europe: IOELV: TWA	260 mg/m <sup>3</sup> ; 200 ppm (may be absorbed through the skin)
		Great Britain: WEL-STEL	333 mg/m <sup>3</sup> ; 250 ppm (may be absorbed through the skin)
		Great Britain: WEL-TWA	266 mg/m <sup>3</sup> ; 200 ppm (may be absorbed through the skin)
		Ireland: 8 hours	260 mg/m <sup>3</sup> ; 200 ppm (may be absorbed through the skin)

Additional information: After contact with water: Formation of Methanol.

### 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

### Personal protection equipment

#### Occupational exposure controls

Respiratory protection: If vapours form, use respiratory protection.  
If the concentration is exceeded, closed-circuit breathing apparatus must be used!

Hand protection: Protective gloves according to EN 374.  
Glove material: Nitrile rubber  
Layer thickness: 0.12 mm,  
Breakthrough time <10 min.  
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:  
Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

### Environmental exposure controls

Refer to "6.2 Environmental precautions".

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance: Form: pasty  
Colour: black

Odour: characteristic

Odour threshold: No data available

pH: No data available

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

**LS CHEMIE**

*Chemische & Technische Produkte*

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

Language: en-GB,IE

Page:

5 of 9

Melting point/freezing point:	No data available
Initial boiling point and boiling range:	not applicable
Flash point/flash point range:	not applicable
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	at 20 °C: <= 100 hPa
Vapour density:	No data available
Density:	at 20 °C: 1.61 g/cm <sup>3</sup>
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

## 9.2 Other information

Additional information: No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

With exposure to Water, product will release Methanol.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Reactions with acids and strong oxidizing agents.

### 10.4 Conditions to avoid

Protect from humidity and water.

### 10.5 Incompatible materials

Acids, strong oxidizing agents

### 10.6 Hazardous decomposition products

Thermal decomposition: No decomposition when used properly.  
No data available

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

**LS CHEMIE**

*Chemische & Technische Produkte*

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

Language: en-GB,IE

Page:

6 of 9

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not met.

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains N-(3-(Trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

Further details: No data available

### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

# LS CHEMIE

Chemische & Technische Produkte

Language: en-GB,IE

Page:

7 of 9

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Recommendation: Dispose of waste according to applicable legislation.  
Use in adhesives and sealants:  
080409\*:  
Waste adhesives and sealants containing organic solvents or other dangerous substances.  
080410: waste adhesives and sealants other than those mentioned in 08 04 09  
Cleaning work:  
080411\*:  
Adhesive and sealant sludges containing organic solvents or other dangerous substances.  
080412: Adhesive and sealant sludges other than those mentioned in 08 04 11.  
\* = Evidence for disposal must be provided.

#### Package

Recommendation: Dispose of waste according to applicable legislation.  
Handle contaminated packages in the same way as the substance itself.  
Non-contaminated packages may be recycled.  
150110: packaging containing residues of or contaminated by dangerous substances  
\* = Evidence for disposal must be provided.  
150101: paper and cardboard packaging  
150102: Plastic packaging  
150104: metallic packaging.

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

### 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

### 14.5 Environmental hazards

Marine pollutant: no

### 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

**LS CHEMIE**

**Chemische & Technische Produkte**

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

Language: en-GB,IE

Page:

8 of 9

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code: -  
No data available

#### National regulations - EC member states

Volatile organic compounds (VOC):  
0.01 % by weight = 0.2 g/L

Further regulations, limitations and legal requirements:  
Use restriction according to REACH annex XVII, no.: 52a

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

H317 = May cause an allergic skin reaction.

H318 = Causes serious eye damage.

EUH208 = Contains N-(3-(Trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EN: European Standard

EU: European Union

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 1: Details of the supplier of the safety data sheet  
Changes in section 2: Special labelling

General revision

Date of first version: 8/5/2014



# SAFETY DATA SHEET (SDS)

According to regulation (EG) Nr. 1907/2006 (REACH)

Trade name: **Adhesive and sealant - Black**

Date of print: 16.04.2021 - Revision date: 02.03.2021 - Version: 6

# LS CHEMIE

*Chemische & Technische Produkte*

---

Language: en-GB,IE

Page:

9 of 9

## Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.